

FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 6






FIG. 7A




FIG. 7B




FIG. 8




FIG. 9




FIG. 10

6/28




FIG. 11




FIG. 18

7/28




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16

8/28




FIG. 17A




FIG. 17B




FIG. 17C




FIG. 17D




FIG. 17E




FIG. 17F




FIG. 17G




FIG. 19A




FIG. 19B




FIG. 20

10/28




FIG. 21




FIG. 22

11/28




FIG. 23




FIG. 24

12/28

50 mJ Er: YAG LASER IRRADIATION HUMAN SKIN




FIG. 25A.

80 mJ Er: YAG LASER IRRADIATION HUMAN SKIN




FIG. 25B.

BEST AVAILABLE COPY

13/28





FIG. 26



READINGS ARE DIFFERENCES FROM SEPARATE CONTROLS ON CONTRALATERAL ARM

FIG. 27






FIG. 28






FIG. 31




FIG. 32

18/28




FIG. 33




FIG. 34




FIG. 35




FIG. 36.

BEST AVAILABLE COPY

BEST AVAILABLE COPY

BEST AVAILABLE COPY

FIG. 37.



BEST AVAILABLE COPY




FIG. 38A




FIG. 38B




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43

27/28




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49